



- Craftsman Miter Saws
- Craftsman Miter Saws
- All Craftsman

Craftsman 12 in. Dual Bevel Sliding Compound Miter Saw Sears Item# 00918629000

\$599.99

Specifications & Dimensions

Dimensions:

Fence Size (HxL) (In):	5 x 4.75
Length (in.):	25.9
Height (In.):	28.3

Product Overview:

Weight - Excluding Battery (lbs):	66.2
Toolless Blade Change:	No
Maximum Right Miter (Deg):	60
Maximum Right Bevel (Deg):	47
Maximum Left Bevel (Deg):	47
Maximum Left Miter (Deg):	47

Maximum RPM - No Load:	4200
Integrated Laser Guide:	Yes
Dust Chute:	Yes
Dust Collection:	Yes
Bevelling Capability:	Yes
Item Weight (lbs.):	66.2

Color:

Overall Color:	Silver/black
----------------	--------------

Included with Item:

Blade Wrench:	Yes
---------------	-----

Power:

Circuit Amp Rating:	15 amps
---------------------	---------

Handles:

Handle Type:	Horizontal
--------------	------------

Blade:

Blade Type:	Carbide Tipped
Diameter (In):	10

Motor-Engine:

Amps:	15
Motor Brake:	Electric
Voltage:	120 volts

General Features:

Arbor Size:	5/8 in.
Arbor Type:	Locking
Miter Index:	0-47 deg. left/right
Saw Type:	Compound miter saw
Compound Miter:	Yes
Fence Type:	Dual sliding

Others:

Type:	Compound miter
-------	----------------

Product Description

Features:

- Linear bearing rail slide system allows for accurate cuts up to 12 in. wide boards
- Upfront bevel lock allows for bevel angle changes without reaching behind unit

- Quick cam miter lock for upfront locking of all miter angles
- Tall sliding fences provide extra work support on both sides of blade for crown molding, baseboard cutting
- Front mounted Laser Trac™ System - projects a laser accurate pre-alignment line on workpiece for precise miter, bevel, crosscuts and compound cuts
- Telescoping solid extension tables on both sides of blade with built-in stop blocks for repetitive cuts
- Powerful 15 Amp Motor, 4200 RPM (no-load speed), provides the power needed for heavy duty jobs
- 12 in. diameter 60-tooth Carbide Tip Saw Blade, stays sharp and makes clean cuts
- Miter cuts up to 47° degrees Left & Right, and 60° Right - 10 Positive Stops 0°, 15°, 22.5°, 31.6°, 45° (L & R), 60° (R)
- Dual Bevel capacity cuts up to 47° degrees left & right, 5 Positive stops at 0°, 33.9° and 45° (L & R)
- Includes hold down clamp, dust bag, blade wrench and owner's manual

California Residents: Proposition 65 Warning

Added on May 30, 2012