
Craftsman Craftsman 10" Compact Sliding Compound Miter Saw - Sears



\$229.99

Description Item # 00940753000P

This new Craftsman 10" Compact Sliding CompoundMiter Saw, with its revolutionary space saving design combines performance and portability for all your cutting needs. This saw uses 39% less space compared to standard sliding miter saws so you can work wherever you want, whether it be up against a wall or in tight work areas with limited space.

The powerful 15.0 Amp motor runs at 4,800 rpm allowing you to cut through a variety of building materials with ease. The tool-free, adjustable Laser Trac™ system provides precision cutting guidance for accurate pre-alignment of cuts, and offset rails enable increased cut accuracy. The saw can make bevel cuts up to 45° and miter cuts up to 50°, and lets you lock in the five most common angle stops from the left or right. Retractable, telescoping extension bars provide support for longer work pieces when needed.

- Includes: compact sliding miter saw, hold-down clamp, blade, blade wrench, dust bag, extension tables, operator's manual.
- The Craftsman 10" Compact Sliding Compound Miter Saw's 15.0 Amp motor delivers high torque and speed, perfect for hard and soft woods
- Wall-hugging design can be used against a wall, requiring 39% less operating space than other standard sliding miter saws
- Cross-cut boards up to 12 1/2-in wide at 90°
- Built-in retractable, telescoping aluminum extension wings with an adjustable stop plate for rapid repetitive cuts and support for long work pieces

- Laser Trac™ provides an accurate pre-cut alignment of workpiece
- The 0-50 degree miter adjustment includes common positive stops for accurate cuts and tight bevels on the fly
- 60 tooth carbide tipped saw blade with standard 5/8" arbor
- Tall, rapid-release left side sliding fence for extra support
- Aluminum construction makes the Craftsman 10 Inch Compact Sliding Miter Saw portable, durable and easy to move from home to jobsite
- One Year Limited Warranty

Added on May 09, 2014

Specifications

Dimensions:

Length (in.): 32 Width (in.): 22 Height (in.): 24

Table Dimensions (LxW): 20 x 12-1/2

Product Overview:

Item Weight (lbs.): 43.0 Cord Type: 14 gauge

Type: Sliding compound miter

CSA Listed: Yes Spindle Lock: Yes

Quick Release Vise: Yes

Crosscut Capacity - 0 Miter 45 Left Bevel: 1-3/4 x 12-1/2 in. Crosscut Capacity - 45 Miter 45 Right Bevel: 1-3/4 x 8-3/4 in.

Crosscut Capacity - 45 Miter 0 Bevel: 3-1/2 x 8-3/4 in.

Fence Type: Sliding

Crosscut Capacity - 0 Miter 0 Bevel: 3-1/2 x 12-1/2 in.

Cord:

Cord Length (ft.): 6

Cord Management: Cord clip

Blade:

Blade Diameter (In): 10

Motor-Engine:

Motor Brushes: External brushes

Motor Brake: Yes

Amps: 15.0

Motor Voltage: 120

RPM: 4,800

Guides & Instructions:

Owner's Manual: Yes

General Features:

Detent Base: Yes
Arbor Type: Standard
Compound Miter: Yes

Miter Index: 50 deg. left and right

Arbor Size: 5/8 in.

Cutting Tool:

Cut Depth At 90 Degrees: 3-1/2 in.
Cut Depth At 45 Degrees: 1-3/4 in.

Miter Detents: 0, 15, 22-1/2, 31.6 and 45 deg. left/right

Bevel Index: 0,33.9,45 deg. left Blade Bevel Range: 0-47 deg. left

Materials:

Table Material: Die cast aluminum

Installation:

Assembly Required: Assembly Required