

Crafstman 2,700 PSI, 2.3 GPM Briggs & Stratton Powered Pressure Washer, 50 State

NEW Item ! | | Sears Item# 07175287000 | Model# 75287

Reg Price: Savings: \$80.00 \$299.99 Sold by Sears Product Description

This Craftsman gas-powered pressure washer delivers water stream at 2,700 max PSI / 2.3 max GPM. Powered by a Briggs & Stratton Professional Series OHV engine that includes the Ready Start system for easy starting and a Fresh Start fuel cap. The newly designed frame gives this pressure washer more support and protection for the engine. Great for occasional to frequent clean-ups, this model is ideal for any medium-sized project including vehicles, decks, walkways and much more.

- 2.700 max PSI/2.3 max GPM
- Briggs & Stratton Professional Series 7.75 ft.-lbs. gross torque, 175cc OHV engine per SAE J1940
- 4 quick-connect spray tips (0, 15, 40-degree and Fan Soap)
- Maintenance-free axial cam pump with Easy Start technology
- PerfectMix direct from concentrate soap system Automatically mixes the perfect amount of concentrate into the water stream for more effective cleaning (concentrate sold separately)
- Fixed hose wrap with 25 ft. high-pressure hose
- Fold-down handle for compact storage

- 10 in. solid wheels
- Added on November 09, 2011

Specifications & Dimensions

Product Overview:	2002
Max. Pressure:	2700
General Warranty:	2 Year
Item Weight (lbs.):	51.9
Individual, Kit or Set:	Individual
Power Option:	Powered
Color:	
Overall Color:	Red
Materials & Finishes:	
Gun Material:	Stainless Steel
Piston:	Stainless Steel
Finish:	Powder coated steel frame
Material Type:	Tubular steel
Included with Item:	
Hose Adapter:	No
Engine Oil:	Yes
Hose Reel:	Yes
Wheel Kit/Cart:	Yes
Power:	
Type:	Gasoline
<u>·</u>	
Controls, Overall:	
Primary Type:	Trigger
Installation Requirements:	
Setup Requirements:	Some assembly required
Intended Use:	
Designed For:	Medium duty
Indoor/Outdoor:	Outdoor
Recommended For:	Cold water use only
Wet/Dry:	Wet
Performance:	
r enomatice.	

Gallons Per Minute:	2.3
Thermal Relief:	Yes
Motor-Engine:	
Engine Brand:	Briggs & Stratton(r)
Engine Power:	7.75 ft-lbs gross torque
Engine Series:	775 Series 175cc
Starter Type:	Recoil start
Туре:	4-cycle
Wheels & Tires:	
Tire Size:	10 in.
Type:	Solid rubber
Styling & Design:	
Unit Style:	Traditional vertical
Controls, Safety:	
Safety Lock:	Trigger lock
Safety Override:	THERMAL RELIEF VALVE
Convenience:	
	Yes
	Yes
Quick Start:	Yes
Quick Start: General Features:	Yes 1-1/5 qt.
Quick Start: General Features: Fuel Tank Capacity:	
Quick Start: General Features: Fuel Tank Capacity: Garden Hose Connector Material:	1-1/5 qt.
Quick Start: General Features: Fuel Tank Capacity: Garden Hose Connector Material: Hose Size:	1-1/5 qt. Brass
Quick Start: General Features: Fuel Tank Capacity: Garden Hose Connector Material: Hose Size: Pressure Regular Type:	1-1/5 qt. Brass 25 ft. High pressure
Quick Start: General Features: Fuel Tank Capacity: Garden Hose Connector Material: Hose Size: Pressure Regular Type: PSI Range:	1-1/5 qt. Brass 25 ft. High pressure Fixed
Quick Start: General Features: Fuel Tank Capacity: Garden Hose Connector Material: Hose Size: Pressure Regular Type: PSI Range: Pump Head Construction:	1-1/5 qt. Brass 25 ft. High pressure Fixed 2700 PSI
Quick Start: General Features: Fuel Tank Capacity: Garden Hose Connector Material: Hose Size: Pressure Regular Type: PSI Range: Pump Head Construction: Pump Type:	1-1/5 qt. Brass 25 ft. High pressure Fixed 2700 PSI Aluminum
Quick Start: General Features: Fuel Tank Capacity: Garden Hose Connector Material: Hose Size: Pressure Regular Type: PSI Range: Pump Head Construction: Pump Type: Starting System:	1-1/5 qt. Brass 25 ft. High pressure Fixed 2700 PSI Aluminum Axial cam Recoil start
Quick Start: General Features: Fuel Tank Capacity: Garden Hose Connector Material: Hose Size: Pressure Regular Type: PSI Range: Pump Head Construction: Pump Type: Starting System: Wand Or Nozzle:	1-1/5 qt. Brass 25 ft. High pressure Fixed 2700 PSI Aluminum Axial cam
Quick Start: General Features: Fuel Tank Capacity: Garden Hose Connector Material: Hose Size: Pressure Regular Type: PSI Range: Pump Head Construction: Pump Type: Starting System: Wand Or Nozzle Color:	1-1/5 qt. Brass 25 ft. High pressure Fixed 2700 PSI Aluminum Axial cam Recoil start Pro-Style quick-connect spray tips Multi
Convenience: Quick Start: General Features: Fuel Tank Capacity: Garden Hose Connector Material: Hose Size: Pressure Regular Type: PSI Range: Pump Head Construction: Pump Type: Starting System: Wand Or Nozzle: Wand Or Nozzle Color: Garden Hose Connector Location: Gun Type:	1-1/5 qt. Brass 25 ft. High pressure Fixed 2700 PSI Aluminum Axial cam Recoil start Pro-Style quick-connect spray tips Multi Off pump
Quick Start: General Features: Fuel Tank Capacity: Garden Hose Connector Material: Hose Size: Pressure Regular Type: PSI Range: Pump Head Construction: Pump Type: Starting System: Wand Or Nozzle: Wand Or Nozzle Color: Garden Hose Connector Location:	1-1/5 qt. Brass 25 ft. High pressure Fixed 2700 PSI Aluminum Axial cam Recoil start Pro-Style quick-connect spray tips Multi
Quick Start: General Features: Fuel Tank Capacity: Garden Hose Connector Material: Hose Size: Pressure Regular Type: PSI Range: Pump Head Construction: Pump Type: Starting System: Wand Or Nozzle: Wand Or Nozzle Color: Garden Hose Connector Location: Gun Type:	1-1/5 qt. Brass 25 ft. High pressure Fixed 2700 PSI Aluminum Axial cam Recoil start Pro-Style quick-connect spray tips Multi Off pump
Quick Start: General Features: Fuel Tank Capacity: Garden Hose Connector Material: Hose Size: Pressure Regular Type: PSI Range: Pump Head Construction: Pump Type: Starting System: Wand Or Nozzle Color:	1-1/5 qt. Brass 25 ft. High pressure Fixed 2700 PSI Aluminum Axial cam Recoil start Pro-Style quick-connect spray tips Multi Off pump