



## Craftsman 2,500 PSI, 2.3 GPM Briggs & Stratton Powered Pressure Washer, 49 States Only

**NEW Item !! | Sears Item# 07175290000 | Model# 75290**

**Reg Price:**

**Savings: \$60.00**

**\$279.99**

**Sold by Sears**

### Product Description

This Craftsman gas-powered pressure washer delivers water stream at 2,500 max PSI/2.3 max GPM. Powered by a Briggs & Stratton 675 Series engine that includes the ReadyStart system for easy starting and a Fresh Start fuel cap. The newly designed frame gives this pressure washer more support and protection for the engine. Great for occasional to frequent clean-ups, this model is great for any medium-sized project including vehicles, decks, walkways and much more. Not for sale in California.

- 2,500 max PSI/2.3 max GPM
- Briggs & Stratton 675 Series engine, 6.75 ft.-lbs. gross torque per SAE J1940, 190cc
- Ready Start system Just pull for power, no priming required and Fresh Start fuel cap
- 3 quick-connect spray tips (0, 25-degree, and Fan Soap)
- Maintenance-free axial cam pump with Easy Start technology
- Cleaning solution injection
- 25 ft. high-pressure hose
- 10 in. solid wheels

Added on November 09, 2011

## Specifications & Dimensions

---

### Product Overview:

Max. Pressure:	2500
General Warranty:	2 Year
Item Weight (lbs.):	59.2
Individual, Kit or Set:	Individual
Power Option:	Powered

---

### Color:

Overall Color:	Gray
----------------	------

---

### Materials & Finishes:

Gun Material:	Stainless Steel
Piston:	Stainless Steel
Finish:	Powder coated steel frame
Material Type:	Tubular steel

---

### Included with Item:

Hose Adapter:	No
Engine Oil:	Yes
Hose Reel:	Yes
Wheel Kit/Cart:	Yes

---

### Power:

Type:	Gasoline
-------	----------

---

### Controls, Overall:

Primary Type:	Trigger
---------------	---------

---

### Installation Requirements:

Setup Requirements:	Some assembly required
---------------------	------------------------

---

### Intended Use:

Designed For:	Medium duty
Indoor/Outdoor:	Outdoor
Recommended For:	Cold water use only

---

### Performance:

Gallons Per Minute:	2.3
Thermal Relief:	Yes

---

### Motor-Engine:

---

Engine Brand:	Briggs & Stratton(r)
Engine Power:	6.75 ft-lbs gross torque
Engine Series:	675 Series 190cc
Starter Type:	Recoil start
Type:	4-cycle

---

**Wheels & Tires:**

Tire Size:	10 in.
Type:	Solid rubber

---

**Styling & Design:**

Unit Style:	Traditional vertical
-------------	----------------------

---

**Controls, Safety:**

Safety Lock:	Trigger lock
Safety Override:	THERMAL RELIEF VALVE

---

**Convenience:**

Quick Start:	Yes
--------------	-----

---

**General Features:**

Fuel Tank Capacity:	1 qt.
Garden Hose Connector Material:	Brass
Hose Size:	25 ft. High pressure
PSI Range:	2500 PSI
Pump Head Construction:	Aluminum
Wand Or Nozzle:	Pro-Style quick-connect spray tips
Wand Or Nozzle Color:	Multi
Garden Hose Connector Location:	Off pump
Gun Type:	M-22 threaded

---

**Chemicals:**

Chemical Container:	Customer provided
Chemical Injection:	Traditional