

Crafstman 2,600 PSI, 2.3 GPM Honda Powered Pressure Washer, 50 State

NEW Item ! | | Sears Item# 07175291000 | Model# 75291

Reg Price:

Savings: \$90.00

\$349.99

Sold by Sears

Product Description

This Craftsman gas-powered pressure washer delivers water stream at 2,600 max PSI/2.3 max GPM. Powered by a Honda GCV160 engine. The newly designed frame gives this pressure washer more support and protection for the engine. Great for occasional to frequent clean-ups, this model is ideal for any medium-sized project including vehicles, decks, walkways and much more. California compliant model.

- 2,600 max PSI/2.3 max GPM
- Honda GCV160 engine, 160cc
- 4 quick-connect spray tips (0, 15, 40-degree and Fan Soap)
- · Maintenance-free axial cam pump with Easy Start technology
- PerfectMix direct from concentrate soap system Automatically mixes the perfect amount of concentrate into the water stream for more effective cleaning (concentrate sold separately)
- Fixed hose wrap with 25 ft. high-pressure hose
- Fold-down handle for compact storage

• 10 in. solid wheels

Added on November 09, 2011

Specifications & Dimensions

Product Overview:	
Max. Pressure:	2600
General Warranty:	2 Year
Item Weight (lbs.):	51.9
Individual, Kit or Set:	Individual
Power Option:	Powered
Color:	
Overall Color:	Red
Overall Color.	rted
Materials & Finishes:	
Gun Material:	Stainless Steel
Piston:	Stainless Steel
Finish:	Powder coated steel frame
Material Type:	Tubular steel
Included with Item:	
Hose Adapter:	No
Engine Oil:	Yes
Hose Reel:	Yes
Wheel Kit/Cart:	Yes
Power:	
Type:	Gasoline
.,,,	
Controls, Overall:	
Primary Type:	Trigger
Installation Requirements:	
Setup Requirements:	Some assembly required
Intended Use:	
Designed For:	Medium duty
Indoor/Outdoor:	Outdoor
Recommended For:	Cold water use only
Performance:	

Gallons Per Minute:	2.3
Thermal Relief:	Yes
Motor-Engine:	
Engine Brand:	Briggs & Stratton(r)
Engine Power:	160 cc
Engine Series:	GCV 160
Starter Type:	Recoil start
Type:	4-cycle
Wheels & Tires:	
Tire Size:	10 in.
Type:	Solid rubber
Styling & Design:	
Unit Style:	Traditional vertical
Controls, Safety:	
Safety Lock:	Trigger lock
Safety Override:	THERMAL RELIEF VALVE
Convenience:	
Quick Start:	Yes
General Features:	
Garden Hose Connector Material:	Brass
Hose Size:	25 ft. High pressure
Pressure Regular Type:	Fixed
PSI Range:	1 1/100
	2600 PSI
Pump Head Construction:	2600 PSI
Pump Head Construction: Pump Type:	
Pump Type:	2600 PSI Aluminum
	2600 PSI Aluminum Axial cam Recoil start
Pump Type: Starting System:	2600 PSI Aluminum Axial cam Recoil start Pro-Style quick-connect spray tips
Pump Type: Starting System: Wand Or Nozzle:	2600 PSI Aluminum Axial cam Recoil start Pro-Style quick-connect spray tips Multi
Pump Type: Starting System: Wand Or Nozzle: Wand Or Nozzle Color: Garden Hose Connector Location:	2600 PSI Aluminum Axial cam Recoil start Pro-Style quick-connect spray tips Multi Off pump
Pump Type: Starting System: Wand Or Nozzle: Wand Or Nozzle Color:	2600 PSI Aluminum Axial cam Recoil start Pro-Style quick-connect spray tips Multi
Pump Type: Starting System: Wand Or Nozzle: Wand Or Nozzle Color: Garden Hose Connector Location:	2600 PSI Aluminum Axial cam Recoil start Pro-Style quick-connect spray tips Multi Off pump
Pump Type: Starting System: Wand Or Nozzle: Wand Or Nozzle Color: Garden Hose Connector Location: Gun Type:	2600 PSI Aluminum Axial cam Recoil start Pro-Style quick-connect spray tips Multi Off pump